

L Number	Hits	Search Text	DB	Time stamp
1	2	("6,314,451").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:04
2	2	("6564260").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:06
3	10213	((709/220,203,223) or (717/103-109,114-116,120,168-178)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:09
-	187	(@ad<=20010308 or @rlad<=20010308) and (XML same (author\$4 or (generate near4 requirement))) and (client same (server near4 request\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:54
-	185	(((receiv\$4 or retriev\$4 or transmit\$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download\$4 adj2 file))) and ((build\$4 or generat\$4) near4 (code or application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:01
-	5	((@ad<=20010308 or @rlad<=20010308) and (XML same (author\$4 or (generate near4 requirement))) and (client same (server near4 request\$3))) and (((receiv\$4 or retriev\$4 or transmit\$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download\$4 adj2 file))) and ((build\$4 or generat\$4) near4 (code or application)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:50
-	84	((@ad<=20010308 or @rlad<=20010308) and (XML same (author\$4 or (generate near4 requirement))) and (client same (server near4 request\$3))) or (((receiv\$4 or retriev\$4 or transmit\$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download\$4 adj2 file))) and ((build\$4 or generat\$4) near4 (code or application))) and (((XML or authoring or metadata or specification or definition) adj2 (document or file)) same ((creat\$4 or buil\$4 or generat\$4 or compil\$3) near4 (application or program or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:53
-	41	(@ad<=20010308 or @rlad<=20010308) and (((@ad<=20010308 or @rlad<=20010308) and (XML same (author\$4 or (generate near4 requirement))) and (client same (server near4 request\$3))) or (((receiv\$4 or retriev\$4 or transmit\$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download\$4 adj2 file))) and ((build\$4 or generat\$4) near4 (code or application)))) and (((XML or authoring or metadata or specification or definition) adj2 (document or file)) same ((creat\$4 or buil\$4 or generat\$4 or compil\$3) near4 (application or program or code)))) and (client same server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:28

-	253	((@ad<=20010308 or @rlad<=20010308) and (((@ad<=20010308 or @rlad<=20010308) and (XML same (author\$4 or (generate near4 requirement))) and (client same (server near4 request\$3))) or (((receiv\$4 or retriev\$4 or transmit\$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download\$4 adj2 file))) and ((build\$4 or generat\$4) near4 (code or application))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:59
-	17	((@ad<=20010308 or @rlad<=20010308) and (((@ad<=20010308 or @rlad<=20010308) and (XML same (author\$4 or (generate near4 requirement))) and (client same (server near4 request\$3))) or (((receiv\$4 or retriev\$4 or transmit\$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download\$4 adj2 file))) and ((build\$4 or generat\$4) near4 (code or application)))) and (client same ((integrat\$4 or combin\$3 or use\$2) near8 (XML or definition or metadata) adj2 file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:13
-	1	((build\$4 or creat\$4 or develop\$4 or generat\$4) adj4 (application or script)) same ((received or downloaded) adj2 ((metadata or XML or definition) adj2 file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:17
-	2	((build\$4 or creat\$4 or develop\$4 or generat\$4) adj4 (application or script)) same ((received or downloaded or retrieved or transmitted) adj2 ((metadata or XML or definition or user-defined) adj2 (file or information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:18
-	3	((build\$4 or creat\$4 or develop\$4 or generat\$4) adj4 (application or script)) same ((received or downloaded or retrieved or transmitted) adj2 ((metadata or XML or definition or user-defined) near4 (file or information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:24
-	22	5361360.URPN.	USPAT	2004/04/14 17:04
-	157	(client near4 (agent or daemon or API)) same ((install\$4 or download\$4 or distribut\$4 or receiv\$4 or retriev\$4) near8 (XML or server) adj5 (file or XML or information or metadata or (configuration adj3 data))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:28
-	12	((client near4 (agent or daemon or API)) same ((install\$4 or download\$4 or distribut\$4 or receiv\$4 or retriev\$4) near8 (XML or server) adj5 (file or XML or information or metadata or (configuration adj3 data)))) and 717/\$ and (@ad<=20010308 or @rlad<=20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:30
-	5	(agent same ((download\$4 or install\$4) near8 file)).ab. and 717/\$ and (@ad<=20010308 or @rlad<=20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:43
-	8	Lawrence near3 Shrader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:07
-	1	(Lawrence near3 Shrader) and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:08

-	8	("5937409" "5991534" "6023271" "6026405" "6167453" "6237135" "6269373" "6502112").PN.	USPAT	2004/04/14 17:11
-	26	(agent same ((download\$4 or install\$4) near8 file)) and (@ad<=20010308 or @rlad<=20010308) and (framework or ((generat\$4 or develop\$4 or creat\$4) near8 (application or code or program or script))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:33
-	2	((agent same ((download\$4 or install\$4) near8 file)) and (@ad<=20010308 or @rlad<=20010308) and (framework or ((generat\$4 or develop\$4 or creat\$4) near8 (application or code or program or script))).ab.) and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:33
-	22	(US-6635089-\$ or US-6631519-\$ or US-5361360-\$ or US-5835777-\$ or US-5793982-\$ or US-5625844-\$ or US-6633898-\$ or US-6535911-\$ or US-6466967-\$ or US-6167567-\$ or US-5933647-\$ or US-6665861-\$ or US-6237135-\$ or US-6615405-\$ or US-6564260-\$ or US-6418450-\$ or US-6370508-\$).did. or (US-20020129129-\$ or US-20020062369-\$ or US-20020010910-\$ or US-20020083468-\$ or US-20010044676-\$).did.	USPAT; US-PGPUB	2004/04/15 09:56
-	0	((US-6635089-\$ or US-6631519-\$ or US-5361360-\$ or US-5835777-\$ or US-5793982-\$ or US-5625844-\$ or US-6633898-\$ or US-6535911-\$ or US-6466967-\$ or US-6167567-\$ or US-5933647-\$ or US-6665861-\$ or US-6237135-\$ or US-6615405-\$ or US-6564260-\$ or US-6418450-\$ or US-6370508-\$).did. or (US-20020129129-\$ or US-20020062369-\$ or US-20020010910-\$ or US-20020083468-\$ or US-20010044676-\$).did.) and Blo\$5.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 09:59
-	2	((US-6635089-\$ or US-6631519-\$ or US-5361360-\$ or US-5835777-\$ or US-5793982-\$ or US-5625844-\$ or US-6633898-\$ or US-6535911-\$ or US-6466967-\$ or US-6167567-\$ or US-5933647-\$ or US-6665861-\$ or US-6237135-\$ or US-6615405-\$ or US-6564260-\$ or US-6418450-\$ or US-6370508-\$).did. or (US-20020129129-\$ or US-20020062369-\$ or US-20020010910-\$ or US-20020083468-\$ or US-20010044676-\$).did.) and Blo\$5.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:25
-	1705	((deploy\$4 or implement\$4) near5 (application or software)) and ((integrat\$4 or assembl\$4) near4 files) or ((receiv\$4 or download\$4) near3 ((text or XML or specification or metadata) adj3 file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:33
-	238	((deploy\$4 or implement\$4 or develop\$4 or generat\$4) near5 (application or software)) and ((receiv\$4 or download\$4) near3 ((text or XML or specification or metadata) adj3 file)) and (client same server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:35

-	147	((deploy\$4 or implement\$4) near5 (application or software)) and ((integrat\$4 or assembl\$4) near4 files) or ((receiv\$4 or download\$4) near3 ((text or XML or specification or metadata) adj3 file)))) and ((deploy\$4 or implement\$4 or develop\$4 or generat\$4) near5 (application or software)) and ((receiv\$4 or download\$4) near3 ((text or XML) adj3 file)) and (@ad<=20010308 or @rlad<=20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:36
-	12	((deploy\$4 or implement\$4 or develop\$4 or generat\$4) near5 (application or software)) and ((receiv\$4 or download\$4) near3 ((text or XML or specification or metadata) adj3 file)) and (client same server)) and ((integrat\$4 or combin\$3 or assembl\$4) near8 (XML or text or metadata) adj2 file)) and (@ad<=20010308 or @rlad<=20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:39
-	30	((deploy\$4 or implement\$4) near5 (application or software)) and ((integrat\$4 or assembl\$4) near4 files) or ((receiv\$4 or download\$4) near3 ((text or XML or specification or metadata) adj3 file)))) and ((deploy\$4 or implement\$4 or develop\$4 or generat\$4) near5 (application or software)) and ((receiv\$4 or download\$4) near3 ((text or XML) adj3 file)) and (@ad<=20010308 or @rlad<=20010308)) and (XML same files)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:39
-	1	((deploy\$4 or implement\$4 or develop\$4 or generat\$4) near5 (application or software)) and ((receiv\$4 or download\$4) near3 ((text or XML or specification or metadata) adj3 file)) and (client same server)) and ((integrat\$4 or combin\$3 or assembl\$4) near8 (XML or text or metadata) adj2 file)) and (@ad<=20010308 or @rlad<=20010308)) and (((deploy\$4 or implement\$4) near5 (application or software)) and ((integrat\$4 or assembl\$4) near4 files) or ((receiv\$4 or download\$4) near3 ((text or XML or specification or metadata) adj3 file)))) and ((deploy\$4 or implement\$4 or develop\$4 or generat\$4) near5 (application or software)) and ((receiv\$4 or download\$4) near3 ((text or XML) adj3 file)) and (@ad<=20010308 or @rlad<=20010308)) and (XML same files))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:36